

March Monthly Compliance Report

Solid Waste Permit #221
Bristol Integrated Solid Waste Management Facility
2655 Valley Drive
Bristol, VA 24201
(276) 645-7233

SCS ENGINEERS

02218208.05-18 | April 10, 2023

15521 Midlothian Turnpike Suite 305
Midlothian, VA 23113
804-378-7440

Table of Contents

Section	Page
Introduction	1
2.0 Cover Integrity and Exposed Wastes.....	1
2.3 Surface Emissions Monitoring.....	1
3.0 Gas Collection.....	1
3.1 System Optimization	1
3.2 Optimization Plan and Reporting.....	1
3.2.1 Optimization Plan	2
3.2.2 Optimization Actions.....	2
3.2.3 Monthly Wellhead Monitoring.....	2

Tables

Table 1.	Monthly Average Wellhead LFG Composition – SWP #221 Wells	2
----------	---	---

Appendices

Appendix A	March Monthly Wellhead Monitoring Data
------------	--

INTRODUCTION

On behalf of the City of Bristol, Virginia (City), SCS Engineers (SCS) has prepared this report to the Virginia Department of Environmental Quality (VDEQ). This report covers the Solid Waste Permit (SWP) #221 Landfill during the month of February.

The following sections outline actions completed towards the applicable items in Appendix B of the Consent Decree. The sections have been numbered to align with the numbering in Appendix B.

2.0 COVER INTEGRITY AND EXPOSED WASTES

As outlined in Appendix B of the Consent Decree, cover integrity of the SWP #221 Landfill will be managed primarily through ongoing surface emissions monitoring in accordance with Federal and State regulations.

2.3 SURFACE EMISSIONS MONITORING

On October 12, 2022, SCS performed surface emissions monitoring (SEM) on the landfill. During the monitoring event no exceedances were detected on the serpentine route or at pipe penetrations. Details of the surface emissions monitoring were included in the October Monthly Compliance Report for the SWP #221 Landfill and in a letter outlining the results submitted to VDEQ on October 28, 2022.

On January 26, 2023, SCS performed a “Target Zone” SEM event, where points were collected at locations that showed visual characteristics of a potential exceedance location (erosion rills, bare spots where vegetation was lacking, etc.). The results of this SEM event were summarized in the January Monthly Compliance Report for the SWP #221 Landfill.

The 2023 Annual SEM Event will be performed later this year.

3.0 GAS COLLECTION

The City has taken steps to optimize gas collection and minimize air intrusion as outlined in the sections below.

3.1 SYSTEM OPTIMIZATION

There are currently 15 vertical extraction wells in the SWP #221 Landfill Area (Well Nos. 1 – 15). In waste disposal units where the age of the buried wastes is greater than 40 years, as is the case at SWP #221 Landfill, the rate and quantity of decomposition gas production declines significantly compared to the rate and quantity of LFG generated in more recently buried wastes. There is no historical evidence of elevated temperatures in SWP #221 Landfill. Also, the #221 Landfill Area is not believed to be a significant source of fugitive LFG emissions or odors.

Adjustments are made during wellhead monitoring to optimize gas quality and applied vacuum on the Area 221 wells. All Area 221 wells are under vacuum. During the March monitoring events, multiple rounds of monitoring were performed to tune the newly installed 1-inch wellheads on all extraction wells in Area 221. The average gas composition in the Area 221 wells is shown in Table 1. Methane and Carbon Dioxide increased while Oxygen decreased this month from the installation and

tuning of the new 1-inch wellheads and flex hose. Monitoring Data for the SWP #221 Landfill wells is included in Appendix A.

Table 1. Monthly Average Wellhead LFG Composition – SWP #221 Wells

Month	Average CH ₄ (% Vol)	Average CO ₂ (% Vol)	Average O ₂ (% Vol)	Average Pressure (inches w.c.)
November 2022	47.4	33.7	3.3	-11.9
December 2022	58.7	39.6	0.3	-2.7
January 2023	39.8	27.0	6.0	-20.6
February 2023	42.5	28.1	7.2	-15.6
March 2023	53.5	33.6	2.9	-20.4

3.2 OPTIMIZATION PLAN AND REPORTING

3.2.1 Optimization Plan


On December 1, 2022, on behalf of the City, SCS submitted a plan that provides for means and methods for optimizing the performance of the existing gas extraction system in the Solid Waste Permit #221 landfill. Additional details about that plan were included along with a copy of the plan in the November Monthly Compliance Report for the SWP #221 Landfill.

3.2.2 Optimization Actions

During the month of January 2022 actions were taken to implement the submitted Optimization Plan. The actions taken at the SWP #221 Landfill in accordance with the plan were summarized in the January Monthly Compliance Report for the SWP# 221 Landfill. SCS prepared a report that detailed the results of each of these activities and the report was submitted to VDEQ on February 1, 2023.

3.2.3 Monthly Wellhead Monitoring

On March 1, 2023; March 7, 2023; and March 13, 2023, SCS Field Services (SCS-FS) visited the landfill and performed monitoring of the landfill gas wells. The results of the monthly monitoring were submitted to VDEQ on April 5, 2023 and are included in Appendix A.



Appendix A
March Monthly Wellhead Monitoring Data

Bristol Virginia Landfill - Permit 221 Well Data - 01/01/2023 to 03/31/2023

Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	Init Static Pressure ("H2O)	Adj Static Pressure ("H2O)	Init Temp (F)	System Pressure ("H2O)	Comments
01	1/5/2023 12:28	60.3	39.7	0.0	0.0	-24.3	-24.2	67.6	-24.2	
01	2/1/2023 12:37	55.2	35.1	9.7	0.0	-19.0	-21.1	43.4	-22.2	
01	3/1/2023 09:32	59.7	36.0	0.9	3.4	-20.7	-20.8	67.8	-21.1	Increased Flow/Vacuum
01	3/7/2023 09:22	62.0	38.0	0.0	0.0	-21.1	-21.0	72.6	-21.0	Opened Valve 1/2 Turn or Less
01	3/13/2023 08:48	61.8	37.1	0.8	0.3	-22.9	-22.8	46.1	-22.8	Increased Flow/Vacuum
02	1/5/2023 12:24	27.4	17.8	11.5	43.3	-24.2	-24.4	66.3	-24.2	
02	2/1/2023 12:26	15.5	10.2	16.8	57.5	-20.5	-19.9	46.7	-24.2	
02	2/28/2023 09:35	25.0	14.8	12.4	47.8	-8.7	-8.8	65.4	-18.3	
02	3/1/2023 09:36	50.9	31.1	3.6	14.4	-21.1	-21.1	61.3	-21.2	No Change
02	3/7/2023 09:26	37.4	23.4	7.9	31.3	-21.0	-20.3	63.9	-21.0	Decreased Flow/Vacuum
02	3/13/2023 11:22	66.0	33.7	0.3	0.0	-10.3	-13.3	47.3	-22.8	Increased Flow/Vacuum
03	1/5/2023 12:16	13.0	9.0	15.7	62.3	-17.5	-16.9	55.9	-24.1	
03	2/1/2023 12:15	3.3	3.2	20.2	73.3	-5.4	-4.8	45.9	-24.1	
03	2/28/2023 09:39	63.2	36.8	0.0	0.0	-9.5	-10.7	67.0	-18.8	Increased Flow/Vacuum
03	3/1/2023 09:42	52.7	33.1	2.8	11.4	-21.2	-21.2	62.7	-21.1	No Change
03	3/7/2023 09:29	36.7	23.4	8.0	31.9	-21.1	-21.0	66.1	-21.0	Decreased Flow/Vacuum
03	3/13/2023 11:17	54.2	33.9	2.9	9.0	-23.0	-22.9	46.8	-23.0	Increased Flow/Vacuum
04	1/5/2023 12:11	48.2	35.3	3.1	13.4	-15.1	-15.0	64.8	-24.3	
04	2/1/2023 12:09	45.2	31.5	4.7	18.6	-20.7	-20.7	49.7	-24.2	Increased Flow/Vacuum
04	2/1/2023 12:11	43.2	30.8	5.2	20.8	-21.9	-21.9	45.9	-24.1	
04	2/28/2023 09:43	61.3	38.7	0.0	0.0	-5.2	-5.7	76.1	-19.0	Increased Flow/Vacuum
04	3/1/2023 09:51	60.2	39.8	0.0	0.0	-18.1	-18.1	67.7	-21.0	Increased Flow/Vacuum
04	3/1/2023 09:55	59.6	38.6	0.4	1.4	-20.5	-20.9	72.5	-20.9	Increased Flow/Vacuum
04	3/1/2023 09:56	60.2	38.7	0.1	1.0	-21.0	-21.0	71.5	-21.1	Increased Flow/Vacuum
04	3/7/2023 09:36	53.4	35.8	2.5	8.3	-21.2	-21.1	74.5	-21.0	No Change
04	3/13/2023 11:14	59.6	39.9	0.6	0.0	-23.0	-23.0	48.9	-23.1	Increased Flow/Vacuum
05	1/5/2023 13:09	58.7	41.3	0.0	0.0	-24.3	-24.3	65.5	-24.2	
05	2/1/2023 13:18	59.0	41.0	0.0	0.0	-23.9	-23.9	42.0	-23.9	Increased Flow/Vacuum
05	2/28/2023 09:50	60.2	39.8	0.0	0.0	-4.7	-5.3	75.3	-19.2	Increased Flow/Vacuum
05	3/1/2023 10:01	59.4	39.4	0.2	1.0	-20.6	-20.9	65.9	-21.1	Increased Flow/Vacuum
05	3/7/2023 09:40	30.4	21.5	9.9	38.2	-21.2	-21.1	73.0	-21.1	Decreased Flow/Vacuum



Bristol Virginia Landfill - Permit 221 Well Data - 01/01/2023 to 03/31/2023

Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	Init Static Pressure ("H2O)	Adj Static Pressure ("H2O)	Init Temp (F)	System Pressure ("H2O)	Comments
05	3/13/2023 11:06	53.2	36.0	2.5	8.3	-23.0	-22.9	49.9	-23.0	No Change
06	1/5/2023 13:05	14.4	8.6	16.0	61.0	-23.4	-23.2	69.0	-24.2	Increased Flow/Vacuum
06	2/1/2023 13:14	13.1	8.2	17.5	61.2	-23.1	-23.1	53.7	-23.9	
06	2/28/2023 08:53	29.6	16.0	11.2	43.2	-5.4	-5.4	65.9	-22.5	
06	3/1/2023 08:49	63.7	34.0	0.7	1.6	-21.5	-21.7	60.9	-21.7	
06	3/1/2023 08:52	64.7	35.3	0.0	0.0	-21.8	-21.8	61.5	-21.7	
06	3/7/2023 08:43	65.0	34.0	0.9	0.1	-21.1	-21.1	65.9	-21.1	
06	3/13/2023 08:06	34.8	20.4	9.0	35.8	-22.6	-22.5	45.2	-22.6	
07	1/5/2023 13:02	59.0	39.9	0.0	1.1	-14.0	-14.1	65.9	-24.5	Increased Flow/Vacuum
07	2/1/2023 13:12	63.2	36.8	0.0	0.0	-1.8	-1.8	59.2	-19.4	
07	2/28/2023 09:01	64.4	35.6	0.0	0.0	-0.3	-0.5	71.5	-22.2	
07	3/1/2023 08:55	59.3	40.7	0.0	0.0	-4.7	-8.7	65.6	-21.3	
07	3/7/2023 08:47	60.0	40.0	0.1	0.0	-15.7	-16.4	69.6	-20.9	
07	3/13/2023 08:11	57.8	38.4	1.0	2.8	-19.1	-20.1	47.8	-22.7	
08	1/5/2023 12:58	1.9	1.6	20.3	76.2	-0.9	-0.5	67.1	-24.2	No Change
08	2/1/2023 13:08	3.9	3.2	20.4	72.5	-1.2	-1.2	51.6	-22.5	
08	2/28/2023 09:04	20.9	12.3	13.7	53.1	-20.4	-19.9	65.9	-22.1	
08	3/1/2023 09:00	51.0	30.8	3.6	14.6	-20.4	-21.0	69.9	-20.9	
08	3/7/2023 08:52	63.0	36.3	0.7	0.0	-21.0	-21.0	73.3	-20.9	
08	3/13/2023 08:15	24.4	15.7	12.7	47.2	-22.5	-14.2	46.8	-22.5	
09	1/5/2023 12:50	56.6	38.3	1.1	4.0	-24.2	-24.1	65.4	-24.2	Increased Flow/Vacuum
09	2/1/2023 13:00	55.0	36.8	1.7	6.5	-23.9	-23.9	45.8	-17.2	
09	2/28/2023 09:13	54.4	33.3	2.6	9.7	-21.3	-21.4	62.7	-22.0	
09	3/1/2023 09:10	60.7	39.3	0.0	0.0	-21.2	-21.1	69.3	-21.1	
09	3/7/2023 09:01	7.0	5.0	19.2	68.8	-21.0	-21.0	72.0	-20.9	
09	3/13/2023 08:22	35.8	24.8	8.3	31.1	-22.5	-21.2	44.9	-22.6	
10	1/5/2023 12:46	58.1	41.9	0.0	0.0	-23.1	-24.8	62.1	-24.2	Increased Flow/Vacuum
10	2/1/2023 12:54	58.5	41.5	0.0	0.0	-0.4	-1.1	46.7	-23.8	
10	2/28/2023 09:17	59.3	40.7	0.0	0.0	-21.4	-21.3	71.7	-22.1	
10	3/1/2023 09:13	58.8	40.0	0.2	1.0	-21.2	-21.1	66.4	-21.0	
10	3/7/2023 09:06	38.4	27.8	6.8	27.0	-21.1	-21.0	70.0	-20.9	



Bristol Virginia Landfill - Permit 221 Well Data - 01/01/2023 to 03/31/2023

Point Name	Record Date	CH4 (% by vol)	CO2 (% by vol)	O2 (% by vol)	Bal Gas (% by vol)	Init Static Pressure ("H2O)	Adj Static Pressure ("H2O)	Init Temp (F)	System Pressure ("H2O)	Comments
10	3/13/2023 08:36	58.4	40.4	0.6	0.6	-22.6	-22.6	46.0	-22.6	Increased Flow/Vacuum
11	1/5/2023 12:36	29.5	20.2	10.7	39.6	-24.3	-24.4	60.9	-24.1	No Change Opened Valve 1/2 Turn or Less No Change Decreased Flow/Vacuum
11	2/1/2023 12:50	60.6	39.4	0.0	0.0	-3.4	-3.8	45.9	-21.2	
11	2/28/2023 09:27	36.3	23.3	8.1	32.3	-13.6	-13.7	69.0	-14.4	
11	3/1/2023 09:23	60.3	37.0	0.6	2.1	-21.1	-21.1	64.8	-21.1	
11	3/7/2023 09:15	56.7	34.3	2.0	7.0	-21.0	-21.0	69.7	-21.0	
11	3/13/2023 08:41	22.3	15.3	13.8	48.6	-22.7	-19.7	44.9	-22.6	
12	1/5/2023 12:32	19.2	13.0	14.6	53.2	-24.1	-24.1	58.0	-24.1	Increased Flow/Vacuum Increased Flow/Vacuum Increased Flow/Vacuum Increased Flow/Vacuum Increased Flow/Vacuum
12	2/1/2023 12:46	46.7	31.0	5.0	17.3	-24.0	-24.0	48.6	-24.3	
12	2/28/2023 09:30	40.3	25.7	6.8	27.2	-16.1	-16.1	69.3	-16.2	
12	3/1/2023 09:27	61.0	39.0	0.0	0.0	-21.1	-21.1	67.1	-21.2	
12	3/7/2023 09:18	60.7	37.2	0.7	1.4	-21.1	-21.1	69.8	-20.9	
12	3/13/2023 08:45	60.5	39.2	0.3	0.0	-22.7	-22.6	44.3	-22.6	
13	1/5/2023 12:19	59.9	40.1	0.1	0.0	-24.2	-24.2	56.9	-24.2	Increased Flow/Vacuum Increased Flow/Vacuum No Change Increased Flow/Vacuum Decreased Flow/Vacuum Increased Flow/Vacuum
13	2/1/2023 12:19	58.9	38.0	0.9	2.2	-23.8	-23.8	46.8	-24.1	
13	2/1/2023 12:22	58.4	38.4	0.8	2.4	-24.2	-24.1	43.8	-24.1	
13	2/28/2023 09:46	62.2	37.6	0.2	0.0	-19.3	-19.3	78.1	-19.2	
13	3/1/2023 09:47	60.7	38.3	0.3	0.7	-6.4	-11.9	64.1	-21.0	
13	3/7/2023 09:33	33.8	23.1	8.8	34.3	-19.5	-18.9	66.8	-21.0	
13	3/13/2023 11:10	55.5	35.6	2.2	6.7	-10.8	-14.3	49.4	-23.0	
14	1/5/2023 12:55	31.7	19.1	11.1	38.1	-20.6	-20.6	65.8	-24.2	Increased Flow/Vacuum Increased Flow/Vacuum Increased Flow/Vacuum Increased Flow/Vacuum No Change
14	2/1/2023 13:05	26.1	16.7	12.1	45.1	-23.2	-23.2	60.8	-23.9	
14	2/28/2023 09:09	66.5	33.4	0.1	0.0	-9.9	-9.8	56.0	-21.9	
14	3/1/2023 09:04	64.4	34.0	0.6	1.0	-18.8	-21.0	69.9	-21.1	
14	3/7/2023 08:56	65.0	34.5	0.6	0.0	-21.0	-21.0	72.4	-20.9	
14	3/13/2023 08:27	48.5	27.9	5.2	18.4	-22.5	-22.5	43.4	-22.6	
15	1/5/2023 12:41	59.5	39.0	0.0	1.5	-24.2	-24.2	56.9	-24.1	Increased Flow/Vacuum Increased Flow/Vacuum Decreased Flow/Vacuum Increased Flow/Vacuum
15	2/1/2023 12:34	56.6	36.3	7.0	0.1	-3.4	-3.5	51.1	-24.5	
15	3/1/2023 09:18	61.3	38.6	0.1	0.0	-20.9	-21.0	67.3	-21.1	
15	3/7/2023 09:11	42.4	28.9	5.9	22.8	-21.0	-21.0	68.4	-21.0	
15	3/13/2023 08:31	58.6	38.0	1.3	2.1	-22.6	-22.6	46.3	-22.6	



Midlothian, VA

PROJECT: City Bristol, LF Engineering, ISWMF, VA 02218208.05 DATE: 4/10/2023

SUBJECT: March Monthly Compliance Reports SWP #588, SWP #498, & SWP #221 TRANSMITTAL ID: 00012

PURPOSE: For Record VIA: Info Exchange

FROM

NAME	COMPANY	EMAIL	PHONE
Charles Warren Midlothian, VA	SCS Engineers	CWarren@scsengineers.com	+1-804-486-1903

TO

NAME	COMPANY	EMAIL	PHONE
Jonathan Chapman 355-A Deadmore Street Abingdon VA 24210 United States	Virginia Department of Environmental Quality	Jonathan.chapman@deq.virginia.gov	

REMARKS: Jonathan,
In accordance with Item 8.iii of Appendix A and Item 8 of Appendix B of the Consent Decree between the City and VDEQ, SCS is submitting the Monthly Compliance Reports for the Solid Waste Permit #588, #498, and #221 Landfills on behalf of the City of Bristol, Virginia. The reports can be downloaded using the links below. Please note that the data from monthly gas monitoring of leachate collection components (Item 1.i of Appendix A), sampling and analysis of dual extraction wells (Item 4.ii of Appendix A), and topographic survey (Item 5.ii of Appendix A) are contained within the Solid Waste Permit #588 report. Let us know if you have questions about the contents of these reports.
Regards,
Charles

DESCRIPTION OF CONTENTS

QTY	DATED	TITLE	NOTES
1	4/10/2023	March 2023 Compliance Report - SWP 588.pdf	
1	4/10/2023	March Compliance Report - SWP 498.pdf	
1	4/10/2023	March Compliance Report - SWP 221.pdf	

Transmittal

DATE: 4/10/2023
TRANSMITTAL ID: 00012

COPIES:

Michael Martin	(Bristol, VA, City of)
Jonathan Hayes	(Bristol, VA, City of)
Robert Gardner	(SCS Engineers)
Bob Dick	(SCS Engineers)
Charles Warren	(SCS Engineers)
Stacy Bowers	(Virginia Department of Environmental Quality)
Daniel Scott	(Virginia Department of Environmental Quality)
Jimmy Jewett	(McGuireWoods LLP)
Lucas Nachman	(SCS Engineers)
Jacob Chandler	(Bristol, VA, City of)
Erin Willard	(Environmental Protection Agency)
Joey Lamie	(Bristol, VA, City of)
Tom Lock	(SCS Engineers)
Jeffery Hurst	(Virginia Department of Environmental Quality)
Randall Eads	(City of Bristol)
Susan Blalock	(Virginia Department of Environmental Quality)
Erin Malone	(Environmental Protection Agency)
Austin Wubbe	(SCS Engineers)
Brandon King	(SCS Engineers)
Jennifer Robb	(SCS Engineers)
Quinn Bernier	(SCS Engineers)